





CERTIFICATE OF APPROVAL


Product Conformity Certification

This is to certify that

Orrcon Manufacturing Pty Ltd

at

121 Evans Rd Salisbury Qld Australia 4107



SCOPE OF CERTIFICATION

Manufacture of cold-formed structural steel hollow sections to AS/NZS 1163:2016

plus the requirements of the "Materials" and "Fabrication" sections of AS 4100:2020 Steel structures, or AS/NZS 5131:2016 Structural steelwork – Fabrication and erection, or AS/NZS 5100.6:2017 Bridge design - Steel and Composite, or the Materials and Brittle Fracture section of NZS 3404:2009 Steel Structures Standard – Materials fabrication and construction.

This certificate remains the property of the Authority and is issued subject to the Regulations of the Authority.

CERTIFICATE NUMBER	VERSION	FIRST APPROVAL	ISSUE DATE	EXPIRY DATE
160507	1	27 May 2016	01 January 2024	31 December 2024

SIGNED FOR ACRS

Andrew Wheeler,

Executive Director

AUSTRALASIAN CERTIFICATION AUTHORITY FOR REINFORCING AND STRUCTURAL STEELS LTD | ABN: 40 096 692 545 | PO BOX 1369, CROWS NEST NSW 1585, AUSTRALIA

To check the validity of this certificate please scan the above Static QR Code with the ACRS Cloud App or visit www.steelcertification.com

Cert. Ref.: 049-04 160507 1









CERTIFICATE OF APPROVAL

Product Conformity Certification

Certificate Number: 160507 **Orrcon Manufacturing Pty Ltd**

121 Evans Rd Salisbury Qld Australia 4107



Products assessed by ACRS to the following Standards:

Cold-formed structural steel hollow sections to AS/NZS 1163:2016

SHS: Size 20x20 mm to 125x125 mm - Wall Thickness 1.6 to 6.0mm - Grades C250L0, C350L0

SHS: Size 20x20 mm to 125x125 mm - Wall Thickness 1.6 to 4.0mm - Grade C450L0

SHS: Size 50x50 mm - Wall Thickness 6.0mm - Grade C450

RHS: Size 38x25 mm to 185x65 mm - Wall Thickness 1.6 to 6.0 mm - Grades C250L0, C350L0


RHS: Size 38x25 mm to 185x65 mm - Wall Thickness 1.6 to 4.0 mm - Grade C450L0

CHS: Size 25.4 to 168.3 mm OD - Wall Thickness 1.6 to 6.4 mm - Grades 250L0, C350L0

CHS: Size 25.4 to 76.1 mm OD - Wall Thickness 1.6 to 4.0 mm - Grade C450L0

Approved Company Information

Marking



Tag



To check the validity of this certificate please scan the above Static QR Code with the ACRS Cloud App or visit www.steelcertification.com

Cert. Ref.: 049-04 160507 1



Accreditation certificate number Z5221212AC