

Australasian Certification Authority for Reinforcing and Structural Steels Ltd





CERTIFICATE OF APPROVAL

Product Conformity Certification

This is to certify that

Saha Thai Steel Pipe Public Company Limited



at

224 Moo 5, Lamsai

Wangnoi Ayutthaya Thailand 13107

has satisfied the Authority that it complies with the rules of the ACRS Product Certification Scheme and the relevant ACRS Quality and Operations Assessment Procedures. Where appropriate, and as listed below, it has further satisfied the Authority that it manufactures and/or supplies products that conform with the Standards listed below, and is entitled to use the ACRS mark in relation to the products listed on this certificate.

SCOPE OF CERTIFICATION

Manufacture of cold-formed structural steel hollow sections to AS/NZS 1163:2016

plus the requirements of the "Materials" and "Fabrication" sections of AS 4100:2020 Steel structures, or AS/NZS 5131:2016 Structural steelwork – Fabrication and erection, or AS/NZS 5100.6:2017 Bridge design - Steel and Composite, or the Materials and Brittle Fracture section of NZS 3404:2009 Steel Structures Standard – Materials fabrication and construction.

This certificate remains the property of the Authority and is issued subject to the Regulations of the Authority.

CERTIFICATE NUMBER	VERSION	FIRST APPROVAL	ISSUE DATE	EXPIRY DATE
180504	1	31 May 2018	01 January 2024	31 December 2024

SIGNED FOR ACRS

Andrew Wheeler, Executive Director AUSTRALASIAN CERTIFICATION AUTHORITY FOR REINFORCING AND STRUCTURAL STEELS LTD | ABN: 40 096 692 545 | PO BOX 1369, CROWS NEST NSW 1585, AUSTRALIA

To check the validity of this certificate please scan the above Static QR Code with the ACRS Cloud App or visit www.steelcertification.com

Cert. Ref.: 068-02 180504 1

This document is uncontrolled when printed View original at www.steelcertification.com



www.jas-anz.org/register Accreditation certificate number Z5221212AC







CERTIFICATE OF APPROVAL

Product Conformity Certification

Certificate Number: 180504 Saha Thai Steel Pipe Public Company Limited

^{at} 224 Moo 5, Lamsai Wangnoi Ayutthaya Thailand 13107



Products assessed by ACRS to the following Standards:

Cold-formed structural steel hollow sections to AS/NZS 1163:2016


SHS:

Size 25x25 mm to 150x150 mm - Wall Thickness 1.6 to 9.0mm - Grades C350, C350L0

RHS:

Size 25x50 mm to 100x200 mm - Wall Thickness 1.6 to 9.0 mm - Grades C350, C350L0

Approved Company Information



To check the validity of this certificate please scan the above Static QR Code with the ACRS Cloud App or visit www.steelcertification.com

Cert. Ref.: 068-02 180504 1





www.jas-anz.org/register Accreditation certificate number Z5221212AC