





# CERTIFICATE OF APPROVAL

### **Product Conformity Certification**

This is to certify that

## Maruichi Sun Steel Joint Stock Company

at

# DT743 Road, Dong Tac Quarter, Tan Dong Hiep Ward Di An City Binh Duong Province Vietnam

has satisfied the Authority that it complies with the rules of the ACRS Product Certification Scheme and the relevant ACRS Quality and Operations Assessment Procedures. Where appropriate, and as listed below, it has further satisfied the Authority that it manufactures and/or supplies products that conform with the Standards listed below, and is entitled to use the ACRS mark in relation to the products listed on this certificate.

### SCOPE OF CERTIFICATION

### Manufacture of cold-formed structural steel hollow sections to AS/NZS 1163:2016

plus the requirements of the "Materials" and "Fabrication" sections of AS 4100:2020 Steel structures, or AS/NZS 5131:2016 Structural steelwork – Fabrication and erection, or AS/NZS 5100.6:2017 Bridge design - Steel and Composite, or the Materials and Brittle Fracture section of NZS 3404:2009 Steel Structures Standard – Materials fabrication and construction.

This certificate remains the property of the Authority and is issued subject to the Regulations of the Authority.

CERTIFICATE NUMBER	VERSION	FIRST APPROVAL	ISSUE DATE	EXPIRY DATE
220504	1	27 May 2022	01 January 2024	31 December 2024

SIGNED FOR ACRS

Andrew Wheeler,

**Executive Director** 

AUSTRALASIAN CERTIFICATION AUTHORITY FOR REINFORCING AND STRUCTURAL STEELS LTD | ABN: 40 096 692 545 | PO BOX 1369, CROWS NEST NSW 1585, AUSTRALIA

To check the validity of this certificate please scan the above Static QR Code with the ACRS Cloud App or visit www.steelcertification.com

Cert. Ref.: 159-01 220504 1









# CERTIFICATE OF APPROVAL

### **Product Conformity Certification**

Certificate Number: 220504

Maruichi Sun Steel Joint Stock Company

at

DT743 Road, Dong Tac Quarter, Tan Dong Hiep Ward Di An City Binh Duong Province Vietnam



### Products assessed by ACRS to the following Standards:

Cold-formed structural steel hollow sections to AS/NZS 1163:2016


SHS: Size 20x20 mm to 300x300 mm - Wall Thickness 1.6 to 12.0mm - Grade 350, C350L0 SHS: Size 125x125 mm to 300x300 mm - Wall Thickness 4.0 to 12.5 mm - Grade 450, C450L0

RHS: Size 40x20 mm to 400x200 mm - Wall Thickness 1.6 to 12.5 mm - Grade 350, C350L0 RHS: Size 200x100 mm to 400x200 mm - Wall Thickness 4.0 to 12.5 mm - Grade 450, C450L0

CHS: Size 76.1 to 406.4 mm - Wall Thickness 2.3 to 12.7\* mm - Grade 350, C350L0 \* increase to 12.7mm from 9.52mm 18 Sept 2023

### **Approved Company Information**

#### Marking



Tag



To check the validity of this certificate please scan the above Static QR Code with the ACRS Cloud App or visit www.steelcertification.com

Cert. Ref.: 159-01 220504 1



www.jas-anz.org/register Accreditation certificate number Z5221212AC